UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/583,205	05/23/2007	Torben Dahl	PATRADE	7724
7590 02/26/2009 James C. Wray EXAMINE				IINER
1493 Chain Bridge Road			PAUMEN, GARY F	
suite 300 McLean, VA 22	2101		ART UNIT	PAPER NUMBER
,			2833	
			MAIL DATE	DELIVERY MODE
			02/26/2009	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
Office Action Occurrence	10/583,205	DAHL, TORBEN					
Office Action Summary	Examiner	Art Unit					
	Gary F. Paumen	2833					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	dress				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on							
	- action is non-final.						
3) Since this application is in condition for allowan							
closed in accordance with the practice under E	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1 and 3-6</u> is/are rejected.							
7)⊠ Claim(s) <u>2,7 and 8</u> is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>16 June 2006</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correcti	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
	1.⊠ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents	• •		04				
<del>_</del> · · · · · · · · · · · · · · · · · · ·	3. Copies of the certified copies of the priority documents have been received in this National Stage						
	application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
See the attached detailed Office action for a list of	or the certified copies not receive	u.					
Attachment(s)	,, <b>—</b> , , , , , ,						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P						
Paper No(s)/Mail Date	6) [ Other:						

Claims 1-8 are objected to because of the following informalities: "or the like" should be reviewed in all instances. Claim 8 should apparently depend from claim 7 and this has been assumed for purposes of examination. In claim 5 it is unclear what the legs, protrusions and basket are, particularly since they are apparently not shown.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter of claim 5 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

. Appropriate correction is required.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 3

Claims 1 and 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spearman et al 5664872 in view of Ying 5380208.

Spearman et al substantially discloses the claimed invention except for the resilient fastening means. Ying discloses resilient fastening means 20, and to provide Spearman et al with resilient fastening means thus would have been obvious, for preventing inadvertent removal from a support surface such as a ceiling.

Claims 2, 7 and 8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: none of the prior art of record, particularly the applied art, discloses or teaches the coaxially arranged cylindrical elements, nor the pivotal resilient member as claimed, in combination with the rest of the subject matter of the independent claim.

The other references cited on Form 892 disclose similar lamp mounting means.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary F. Paumen whose telephone number is 571-594-

Application/Control Number: 10/583,205 Page 4

Art Unit: 2833

3830. Or EMAIL: gary.paumen@uspto.gov. The examiner can normally be reached on

Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Renee Luebke can be reached on 571-272-2009. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

gfp

/Gary F Paumen/

Primary Examiner, Art Unit 2833